

Leoni Bench Seat

Radiators  Direct



48 - 72 hours for white
10 working days for colour



10 Year
Guarantee



25 RAL colours
8 Special Finishes

Overview


Part of our best-selling Leoni range, the Leoni Bench is available in 4 column, 1 height and widths ranging from 476mm to 2231mm. With 34 colours and finishes to choose from the Leoni Bench is extremely versatile. You have the option of buying without a seat so you can add your own (wooden, fabric etc) or you have the optional, solid wooden seat which means this radiator can be configured to suit any interior.

Made in Italy to your specification, these designer radiators are powder coated in White RAL 9016 as standard but come in a wide range of other finishes. Each section is laser welded, to ensure long-lasting durability and is backed up by a minimum 10-year guarantee.

- Italian design & manufacture
- Steel multi column bench radiator
- 1 height and 15 widths to choose from
- White RAL 9016 as standard
- 25 RAL colours & 8 special finishes available
- Available with or without the bench top
- 48 - 72 hours delivery for white
- 10 working days delivery for colour
- 10 year Guarantee



Technical Drawing & Pipe Centres



Pipe centres left to right = Width plus Valves

Sizes & Outputs

Model Code	Dimensions (mm)		Sections	Weight kg	Output Δt 25°C		Output Δt 30°C		Output Δt 35°C		Output Δt 50°C		Output Δt 65°C	
	Height	Width			Watts	Btu's	Watts	Btu's	Watts	Btu's	Watts	Btu's	Watts	Btu's
Without Bench Top														
LEOB4C494710	496	476	10	9.63	172	588	214	731	265	903	420	1433	592	2021
LEOB4C495612		566	12	11.921	207	705	257	877	318	1083	504	1720	711	2425
LEOB4C496113		611	13	12.763	224	764	278	950	344	1174	546	1863	770	2627
LEOB4C496514		656	14	13.604	241	823	300	1023	370	1264	588	2006	829	2829
LEOB4C497015		701	15	14.445	258	881	321	1096	397	1354	630	2150	888	3031
LEOB4C498819		881	19	17.84	327	1116	407	1389	503	1715	798	2723	1125	3839
LEOB4C499220		926	20	18.681	344	1175	428	1462	529	1806	840	2866	1184	4041
LEOB4C491022		1016	22	20.335	379	1293	471	1608	582	1986	924	3153	1303	4445
LEOB4C491023		1061	23	21.205	396	1351	493	1681	609	2076	966	3296	1362	4647
LEOB4C491125		1151	25	24.075	431	1469	536	1827	662	2257	1050	3583	1481	5051
LEOB4C491533		1511	33	30.865	568	1939	707	2412	873	2979	1386	4729	1954	6668
LEOB4C491635		1601	35	32.547	603	2056	750	2558	926	3160	1470	5016	2073	7072
LEOB4C491739		1781	39	35.855	672	2291	835	2850	1032	3521	1638	5589	2310	7880
LEOB4C491841		1871	41	37.595	706	2409	878	2996	1085	3702	1722	5875	2428	8284
LEOB4C492249		2231	49	44.269	844	2879	1050	3581	1297	4424	2058	7022	2902	9901
With Bench Top														
LEOB4C494710WT	523	650	10	12.466	172	588	214	731	265	903	420	1433	592	2021
LEOB4C495612WT		815	12	15.488	207	705	257	877	318	1083	504	1720	711	2425
LEOB4C496113WT		815	13	16.33	224	764	278	950	344	1174	546	1863	770	2627
LEOB4C496514WT		815	14	17.171	241	823	300	1023	370	1264	588	2006	829	2829
LEOB4C497015WT		1015	15	18.898	258	881	321	1096	397	1354	630	2150	888	3031
LEOB4C498819WT		1350	19	23.776	327	1116	407	1389	503	1715	798	2723	1125	3839
LEOB4C499220WT		1350	20	24.617	344	1175	428	1462	529	1806	840	2866	1184	4041
LEOB4C491022WT		1350	22	26.271	379	1293	471	1608	582	1986	924	3153	1303	4445
LEOB4C491023WT		1350	23	27.141	396	1351	493	1681	609	2076	966	3296	1362	4647
LEOB4C491125WT		1650	25	31.339	431	1469	536	1827	662	2257	1050	3583	1481	5051
LEOB4C491533WT		1950	33	39.458	568	1939	707	2412	873	2979	1386	4729	1954	6668
LEOB4C491635WT		1950	35	41.14	603	2056	750	2558	926	3160	1470	5016	2073	7072
LEOB4C491739WT		2150	39	45.333	672	2291	835	2850	1032	3521	1638	5589	2310	7880
LEOB4C491841WT		2150	41	47.073	706	2409	878	2996	1085	3702	1722	5875	2428	8284
LEOB4C492249WT		2650	49	55.962	844	2879	1050	3581	1297	4424	2058	7022	2902	9901

Widths include measurement for bushes. Please note due to manufacturing tolerances widths shown may vary by +/- 2mm.

Connections

A set of connection fittings is provided for each radiator.


Each set comprises :

2 x R1¼ x R½ pipe connection bushes

1 x R1¼ plug bush (RH thread) and R½ plug.

1 x R1¼ vent bush (LH thread) and R½ vent valve.

Radiators are normally installed with either BOE (bottom opposite end) or TBOE (top & bottom opposite end) connections. Unless notified at time of order, radiators are supplied with ½" BOE connections as standard. For installations with BOE connections, a diverter (supplied) should be fitted at the inlet connection for all radiators.



IMPORTANT : Inspect the radiator for any damage before installing and filling with water.

Colour and Finishes

Leoni is available in a selection of 26 RAL colours and 8 Special Finishes. Colour is hugely important in all of our home's décor. We all care greatly about the colour of our walls, so why not about the radiators that adorn them? When selecting a RAL colour or special finish we recommend that you always choose your final colour from one of our colour chips for the best representation of the colour.

Please note that due to screen resolution and manufacturing tolerances, the colour (including white) of a finished radiator may vary slightly from the colours represented on the website. We strongly advise taking the time to order one or more of our colour samples, to ensure you choose the correct colour for your room and taste.

It should also be noted the finished colour of radiators may slightly vary should they be ordered and painted at different times.



Order a Colour Sample

Accessories

Personalise your radiators by choosing from our range of radiator accessories. All of our accessories are designed to perfectly complement our radiators and are built to the highest standards in Italy.

Hanging Bar



Rota TRV Valves



Pipe Covers

