

# Leoni 3 Column

Radiators  Direct



48 - 72 hours for white  
10 working days for colour



10 Year  
Guarantee



25 RAL colours  
8 Special Finishes

# Overview

Part of our best-selling Leoni range, the Leoni Steel 3 Column Radiator is held in stock and also available in 2 and 4 column formats. Available in 61 different size configurations this range boasts huge versatility. Supplied with wall brackets with the option of feet means this radiator can either be wall or floor mounted to suit any interior.


Made in Italy, these designer radiators are powder coated in White RAL 9016 as standard but come in a wide range of other finishes. Each section is laser welded to ensure long-lasting durability and is backed up by a minimum 10-year guarantee.

Lightweight and easy to install, with options for both vertical and horizontal installations, the Leoni Steel Multi Column range suits both contemporary and traditional interiors.

- Italian design & manufacture
- Steel multi column radiator
- 6 heights and 12 widths to choose from
- White RAL 9016 as standard
- 25 RAL colours & 8 special finishes available
- Available in horizontal & vertical
- 48 - 72 hours delivery for white
- 10 working days delivery for colour
- 10 year Guarantee



## Technical Drawing & Pipe Centres



# Sizes & Outputs

Model Code	Dimensions (mm)		Sections	Weight kg	Output Δt 25°C		Output Δt 30°C		Output Δt 35°C		Output Δt 50°C		Output Δt 65°C	
	Height	Width			Watts	Btu's	Watts	Btu's	Watts	Btu's	Watts	Btu's	Watts	Btu's
<b>Horizontal</b>														
LEON3C309721	300	971	21	13.490	276	940	343	1169	423	1445	672	2293	948	3233
LEON3C301126		1196	26	16.557	341	1164	424	1448	524	1789	832	2839	1173	4003
LEON3C301330		1376	30	19.010	394	1343	490	1671	605	2064	960	3276	1354	4619
LEON3C409721	400	971	21	17.780	362	1234	450	1535	556	1896	882	3009	1244	4243
LEON3C401126		1196	26	21.868	448	1528	557	1900	688	2347	1092	3726	1540	5254
LEON3C401330		1376	30	25.138	517	1763	643	2192	794	2708	1260	4299	1777	6062
LEON3C506113	500	611	13	13.897	272	927	338	1154	418	1425	663	2262	935	3189
LEON3C508318		836	18	19.005	376	1284	468	1597	578	1973	918	3132	1294	4416
LEON3C501022		1016	22	23.092	460	1569	572	1952	707	2412	1122	3828	1582	5397
LEON3C501126		1196	26	27.179	544	1855	676	2307	835	2850	1326	4524	1870	6379
LEON3C501330		1376	30	31.267	627	2140	780	2662	964	3289	1530	5220	2157	7360
LEON3C501635		1601	35	36.375	732	2497	910	3106	1125	3837	1785	6090	2517	8587
LEON3C501840		1826	40	41.484	836	2854	1040	3550	1285	4385	2040	6960	2876	9814
LEON3C606113	600	611	13	15.254	320	1091	398	1357	491	1676	780	2661	1100	3752
LEON3C608318		836	18	20.883	443	1511	551	1879	680	2322	1080	3685	1523	5196
LEON3C601022		1016	22	25.387	541	1847	673	2297	832	2838	1320	4504	1861	6351
LEON3C601126		1196	26	29.891	640	2182	796	2715	983	3353	1560	5323	2200	7505
LEON3C601330		1376	30	34.395	738	2518	918	3132	1134	3869	1800	6142	2538	8660
LEON3C601635		1601	35	40.024	861	2938	1071	3654	1323	4514	2100	7165	2961	10103
LEON3C601840		1826	40	45.654	984	3357	1224	4176	1512	5159	2400	8189	3384	11546
LEON3C755211	750	521	11	16.375	334	1139	415	1416	513	1750	814	2777	1148	3916
LEON3C756113		611	13	19.239	394	1346	491	1674	606	2068	962	3282	1356	4628
LEON3C758318		836	18	26.400	546	1863	679	2318	839	2863	1332	4545	1878	6408
LEON3C751022		1016	22	32.129	667	2278	830	2833	1026	3500	1628	5555	2295	7833
<b>Vertical</b>														
LEON3C183407	1800	341	7	25.961	482	1645	600	2047	741	2528	1176	4013	1658	5658
LEON3C184309		431	9	33.193	620	2115	771	2631	953	3250	1512	5159	2132	7274
LEON3C185211		521	11	40.425	758	2585	942	3216	1164	3972	1848	6305	2606	8890
LEON3C186113		611	13	47.658	895	3055	1114	3801	1376	4695	2184	7452	3079	10507

Widths include measurement for bushes. Please note due to manufacturing tolerances width shown may vary by +/- 2mm.

## Connections

A set of connection fittings is provided for each radiator.

Each set comprises :


2 x R1¼ x R½ pipe connection bushes

1 x R1¼ plug (RH thread)

1 x R1¼ vent bush (LH thread) and R½ vent valve.

Radiators are normally installed with either BOE (bottom opposite end) or TBOE (top & bottom opposite end) connections. Unless notified at time of order, radiators are supplied with ½" BOE connections as standard. For installations with BOE connections, a diverter (supplied) should be fitted at the inlet connection for all radiators.

**IMPORTANT : Inspect the radiator for any damage before installing and filling with water.**



# Colour and Finishes

Leoni is available in a selection of 26 RAL colours and 8 Special Finishes. Colour is hugely important in all of our home's décor. We all care greatly about the colour of our walls, so why not about the radiators that adorn them? When selecting a RAL colour or special finish we recommend that you always choose your final colour from one of our colour chips for the best representation of the colour.

*Please note that due to screen resolution and manufacturing tolerances, the colour (including white) of a finished radiator may vary slightly from the colours represented on the website. We strongly advise taking the time to order one or more of our colour samples, to ensure you choose the correct colour for your room and taste.*

It should also be noted the finished colour of radiators may slightly vary should they be ordered and painted at different times.



**Order a Colour Sample**

# Mounting Options

Help define the style of your Leoni radiators, by selecting an alternative mounting option to standard wall brackets.

## Wall Brackets



Wall brackets are our standard fitting option, they provide the flexibility to position your radiator exactly where you need it. Suitable for any interior scheme they provide clean simple lines and look particularly neat with pipe work coming from the wall.

## Slip on Feet



Slip on feet add a different dimension to a contemporary look and also work well when maintaining a vintage aesthetic. These simple to fit feet make installing your radiator easier and can be colour matched your Leoni Radiator.

**Please note:** they will add 100mm to the height of your radiator.

## Cast Feet



Leoni Floor Mounts work well if it is a more traditional look you are going for. These simple to fit floor mounts make installing your radiator easier and can be colour matched to your Leoni Radiator.

**Please note:** they will add 105mm to the height of your radiator.

# Accessories

Personalise your radiators by choosing from our range of radiator accessories. All of our accessories are designed to perfectly complement our radiators and are built to the highest standards in Italy.

## Hanging Bar



## Rota TRV Valves



## Pipe Covers

