

Declaration of Performance

RD-15.1920/1

1. Unique identification code of the product type:

Dante Horizontal

2. Serial Number:

"DANTHXXXX"

3. Intended Use/Uses:

In heating systems in buildings

4. Manufacture:

IRSAP UK Units 13-14 Charlwoods Road East Grinstead West Sussex RH19 2HU www.irsap.co.uk

System/Systems of AVCP:

System 3

5. Notified Body/Bodies:

SZU - Strojírenský zkušební ústav Hudcova 424/56b CZ-621 00 – BRNO CZECH REPUBLIC NB1015

Radiator Direct is a brand of IRSAP







6. Declared Performance:

Essential Characteristics	Properties	Harmonised technical specification	
Reaction to fire	A1		
Release of dangerous substances	No Release		
Maximum working pressure	6.0 Bar		
Pressure tightness	No Leakage at 7.8 Bar		
Surface temperature maximum	95°C	EN-442-1:2014	
Resistance to pressure	No Breakage at 10.1 Bar		
Rated thermal outputs	See Table 1		
Thermal output in different operating conditions	$\Phi = K_M \times \Delta T^n$ K _M & " see table 1		

Radiator Direct is a brand of IRSAP







Table 1:

			Output	Output	Coefficient	Exponent
Height	Width	Code	∆ T=50°C	∆ T=30°C	K _M	n
(mm)	(mm)		(watts)	(Watts)		
410	1000	DANTH4110	392	212	3,5406	1,2034
410	1200	DANTH4112	474	260	4,7563	1,1762
495	1000	DANTH4910	460	245	3,7099	1,2321
495	1200	DANTH4912	553	299	4,9743	1,2043

The performance of the product identified in point 1 is in conformity with the declared performances in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Andrew Phillips Managing Director January 2021

Radiator Direct is a brand of IRSAP





Radiators

Declaration of Performance

DOP No, RD-15.2920/1

1. Unique identification code of the product type:

Dante Vertical

2. Serial Number:

"DANTVXXXX"

3. Intended Use/Uses:

In heating systems in buildings

4. Manufacture:

IRSAP UK Units 13-14 Charlwoods Road East Grinstead West Sussex RH19 2HU www.irsap.co.uk

5. System/Systems of AVCP:

System 3

6. Notified Body/Bodies:

SZU - Strojírenský zkušební ústav Hudcova 424/56b CZ-621 00 – BRNO CZECH REPUBLIC NB1015

Radiator Direct is a brand of IRSAP









7. Declared Performance:

Essential Characteristics	Properties	Harmonised technical specification
Reaction to fire	A1	
Release of dangerous substances	No Release	
Maximum working pressure	6.0 Bar	
Pressure tightness	No Leakage at 7.8 Bar	
Surface temperature maximum	95°C	EN-442-1:2014
Resistance to pressure	No Breakage at 10.1 Bar	
Rated thermal outputs	See Table 1	
Thermal output in different operating conditions	$\Phi = K_M \times \Delta T^n$ K _M & ⁿ see table 1	

Radiator Direct is a brand of IRSAP







Table 1:

			Output	Output	Coefficient	Exponent
Height	Width	Code	∆ T=50°C	∆ T=30°C	K _M	n
(mm)	(mm)		(watts)	(Watts)		
1800	410	DANTV1841	686	361	5,0519	1,2555
1800	495	DANTV1849	837	429	5,0258	1,3076

The performance of the product identified in point 1 is in conformity with the declared performances in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.



January 2021

Andrew Phillips

Radiator Direct is a brand of IRSAP



